



# SAFETY DATA SHEET

Clean Laundry Plus

Revision Date 12/20/2015

## SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME **Clean Laundry Plus** ITEM 001205  
PRODUCT USE Dual Detergent 001215

COMPANY NAME Magnus Office (855) 962-4687  
3680 W Royal Lane, Suite# 155A Fax  
Irving, TX 75063 Web [www.magnusdist.com](http://www.magnusdist.com)

**EMERGENCY TELEPHONE NUMBER CHEMTREC (800) 424-9300**

## SECTION – 2 HAZARDS INFORMATION

Health Hazards EYES-Category 1; SKIN-Category 2  
Environmental ACUTE-Aquatic Toxicity-Category 3; CHRONIC-Aquatic Toxicity-Category 3



Eye Damage

**Danger** Causes serious eye damage, Causes skin irritation  
May be harmful if swallowed, Do not get in eyes or on skin, Do not smoke, eat or drink while using, Use proper Safety Equipment, safety glasses, or goggles, and rubber gloves, Wash thoroughly after handling, Avoid release into the environment

## SECTION – 3 COMPOSITION INFORMATION (Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS #	IMPURITIES	PERCENT
Sodium Hydroxide	Caustic Soda	1310-73-2	Water 50%	1 - 2%
Sodium Denzenesulfonate	Sodium (C10-16) benzenesulfonate	68081-81-2		1 - 15%

## SECTION – 4 FIRST AID MEASURES

**EYE CONTACT** Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain medical attention, preferably from an ophthalmologist

**SKIN CONTACT** Wash contaminated skin with plenty of soap and water, Remove contaminated shoes or clothing and wash before reuse, If irritation occurs or persists seek medical aid

**INHALATION** Not Applicable

**INGESTION** DO NOT INDUCE VOMITING. If person is fully conscious give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

**Aspiration Hazard** Not applicable

### ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

**Eyes** Causes serious eye irritation, discomfort, redness, tearing, burning, pain, or possible eye damage

**Skin** Can cause skin irritation, redness, burning, drying or cracking

**Inhalation** Not applicable

**Ingestion** May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus

### CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

**Eyes** Causes serious eye damage, tearing, burning, severe pain, or possible corneal injury

**Skin** Causes skin irritation, defatting of the skin which may lead to dermatitis

**Inhalation** Spray mist may cause mild irritation, to mucus membranes or respiratory tract

**Ingestion** May be harmful if swallowed, Can cause serious irritation, of the mouth, throat, and esophagus, Symptoms may include, nausea, diarrhea, vomiting, abdominal pain

## SECTION – 5 FIRE FIGHTING MEASURES

**Extinguishing Media** Not flammable: Use extinguishing media for surrounding fire

**Hazardous Decomposition** Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, sodium oxides, and other toxic fumes

**Reactive With** Reactive with, strong oxidizing agents, strong acids

**Explosion Hazards** Not applicable

**Static Discharge** Not applicable

**Mechanical Impact** Not applicable

**Protective Equipment** Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

**SECTION – 6 ACCIDENTAL RELEASE MEASURES**

<b>Emergency Procedures</b>	Warn personnel of spill, Stop spill or release only if it can be done safely
<b>Personal Precautions</b>	Avoid slipping on spilled product, Keep unprotected personnel from entering the hazard area
<b>Protective Equipment</b>	Safety Glasses, Chemical Gloves and Rubber Boots
<b>Containment</b>	Use rags, towels, absorbent socks or pads to prevent spill from spreading, Prevent spill from entering the environment
<b>Clean Up Procedures</b>	Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water Large Spills: Absorb spill with inert material, place in a chemical waste container, mop area with clean water
<b>Disposal</b>	Dispose of material in accordance with all State and Federal Guidelines and Regulations

**SECTION – 7 HANDLING AND STORAGE**

<b>Handling</b>	Keep away from incompatible materials, Use appropriate safety equipment, Wash thoroughly after handling, Avoid release to the environment, Triple rinse container before discarding
<b>Storage</b>	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store in a cool dry place away from incompatible materials
<b>Incompatible Materials</b>	Incompatible with, strong oxidizing agents, strong acids

**SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
Sodium Denzenesulfonate	None Established				
Sodium Hydroxide	2 mg/m <sup>3</sup>		2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	EI,SI

**PERSONAL PROTECTIVE EQUIPMENT**

Chemical Safety Glasses, Goggles or Face Shield



Impervious Chemical Gloves



Eye Wash (Recommended)

**Ventilation**

General Ventilation

**HMIS HAZARD RATINGS**

Health	2
Flammability	0
Reactivity	0
Personal Protection	B

**SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>Flash Point</b>	> 93.3°C (200°F) - TAG Closed Cup	<b>Specific Gravity / Density</b>	1.029
<b>Flammable Limits</b>	ND	<b>pH (± 0.3)</b>	10.0
<b>Auto-Ignition Temp.</b>	ND	<b>Viscosity</b>	ND
<b>Physical State</b>	Liquid	<b>Freeze Point</b>	0°C (32°F)
<b>Appearance</b>	Clear	<b>Boiling Point</b>	100°C (212°F)
<b>Odor</b>	Soap	<b>Vapor Density (air=1)</b>	ND
<b>Odor Threshold</b>	ND	<b>Vapor Pressure (mm Hg)</b>	ND
<b>Solubility</b>	100%	<b>Evaporation Rate (nBuAc=1)</b>	ND
<b>Volatiles</b>	< 86%	<b>Partition Coefficient</b>	ND
<b>VOC</b>	0%	<b>Molecular Weight (g/mol)</b>	~ 115.62
<b>LVP-VOC</b>	0%	<b>Decomposition Temperature</b>	ND

**SECTION – 10 STABILITY AND REACTIVITY**

<b>Reactivity (Specific Test Data)</b>	No specific test data related to reactivity available for this product or its ingredients
<b>Chemical Stability</b>	Stable when stored above 4.4°C (40°F) and below 49°C (120°F)
<b>Hazardous Polymerization</b>	Will not occur
<b>Conditions To Avoid</b>	Incompatible materials
<b>Incompatible Materials</b>	Incompatible with, strong oxidizing agents, strong acids
<b>Thermal Decomposition</b>	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, nitrogen oxides, sodium oxides, and other toxic fumes

**SECTION – 11 TOXICOLOGICAL INFORMATION****ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE**

**Eyes** Causes serious eye irritation, discomfort, redness, tearing, burning, pain, or possible eye damage  
**Skin** Can cause skin irritation, redness, burning, drying or cracking  
**Inhalation** Not applicable  
**Ingestion** May be harmful if swallowed, May cause irritation, of the mouth, throat, and esophagus

**CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE**

**Eyes** Causes serious eye damage, tearing, burning, severe pain, or possible corneal injury  
**Skin** Causes skin irritation, defatting of the skin which may lead to dermatitis  
**Inhalation** Spray mist may cause mild irritation, to mucus membranes or respiratory tract  
**Ingestion** May be harmful if swallowed, Can cause serious irritation, of the mouth, throat, and esophagus, Symptoms may include, nausea, diarrhea, vomiting, abdominal pain

**Acute Tox Calculated**                      **Oral:**                      3,468 mg/kg                      **Dermal:**                      8,437 mg/kg                      **Inhaled:**                      mg/L

**Acute Tox Category** Not applicable (Oral >2,000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist

**Additional Info**

**Target Organs** Mucous Membranes, Eyes (Lens or cornea), Skin  
**Medical Conditions** Preexisting, eye, skin, respiratory, disorders may be aggravated by exposure to this product  
**Notes to Physician** In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

**CARCINOGENIC – This product contains concentrations above 0.1% of the following:**

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

**MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:**

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

**COMPONENTS ACUTE TOXICITY**

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Sodium Hydroxide	LD50	Oral	Rabbit	400 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	> 2,000 mg/kg		(>2000 mg/kg)
Sodium Denzenesulfonate	LD50	Oral	Rat	> 1000 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Dermal	Rabbit	> 2000 mg/kg		(>2000 mg/kg)

**SECTION – 12 ECOLOGICAL INFORMATION**

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Sodium Hydroxide	LC50	Bluegill	(Lepomis macrochirus)	99 mg/L	48 Hours	3 (>10, ≤100 mg/L)
	LC50	Mosquito Fish	(Gambusia affinis)	125 mg/L	96 Hours	4 (>100 mg/L)
	LC50	Brown shrimp	(Crangon crangon)	30 mg/L	48 Hours	3 (>10, ≤100 mg/L)
Sodium Denzenesulfonate	LC50	Fish	(Unknown species)	1.67 mg/L	96 Hours	2 (>1, ≤10 mg/L)
	EC50	Algae	(Not specified)	2.4 mg/L	72 Hours	2 (>1, ≤10 mg/L)
	EC50	Water Flea	(Daphnia magna)	29 mg/L	48 Hours	3 (>10, ≤100 mg/L)

**Presistence And Degradability** This product is inherently biodegradable according to the OECD definition

**Bioaccumulative Potential** There is no evidence to suggest bioaccumulation will occur

**Mobility In Soil** This material is a partially mobile liquid

**Other Adverse Effects** Harmful to aquatic life with long lasting effects

**SECTION – 13 DISPOSAL CONSIDERATIONS****DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER****Dispose of any waste in accordance with all State and Federal Guidelines and Regulations****ENVIRONMENTAL FATE**

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

CONTAINER DISPOSAL - Triple rinse empty container then offer for recycling. If not available, puncture and dispose in a sanitary landfill.

**SECTION – 14 TRANSPORT INFORMATION****DOT CLASSIFICATION****UN Number**

Not Regulated Non Hazardous – Compounds Cleaning Liquid

**Proper Shipping Name** n.o.s. ( Chemicals ) or "Limits"

Hazard Class	Packing Group	Label Codes	Reportable Quantity (lbs)	Response	Marine Pollutant	Hazard Label	Secondary
None	None	None	None	154	No		

Additional Info:

**SECTION – 15 REGULATORY INFORMATION****TSCA**

CHEMICAL NAME	Sec 8(b) Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification
Sodium Denzenesulfonate	Yes			
Sodium Hydroxide	Yes			

**REPORTABLE QUANTITIES**

CHEMICAL NAME	Extremely Hazardous EPCRA TPQ Sec 302	Reportable Quantity EPCRA RQ Sec 304	Reportable Quantity CERCLA RQ Sec 103	Emission Reporting TRI Sec 313	RCRA Code	RMP TQ Sec 112r
Sodium Hydroxide			1000			

**SARA**

CHEMICAL NAME	Section 311		Section 311 / 312 Hazards			
	Hazardous Chemical	Acute	Chronic	Flammable	Pressure	Reactive
Sodium Denzenesulfonate	Yes	Yes				
Sodium Hydroxide	Yes	Yes				

**RIGHT TO KNOW**

CHEMICAL NAME	STATE													
	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI	
Sodium Hydroxide						Yes		Yes			Yes			

**CALIFORNIA**

CHEMICAL NAME	CAS #	WARNING! This product contains chemicals known to the state of California to cause:			
		Birth Defects	Reproductive Harm	Carcinogen	Developmental
None Listed					

**CLEAN AIR WATER ACTS**

CHEMICAL NAME	CAS #	Clean Air Acts			Clean Water Acts		
		HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
None Listed							

**INTERNATIONAL REGULATIONS** – The components of this product are listed on the chemical inventories of the following countries:

CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
Sodium Denzenesulfonate	Yes	Yes	Yes	Yes	Yes	Yes
Sodium Hydroxide	Yes	Yes	Yes	Yes	Yes	Yes

**WHMIS Classification**

CHEMICAL NAME	DSL	Class	Description
Sodium Hydroxide	Yes	D-2B	Materials Causing Other Toxic Effects; Toxic Material

**SECTION – 16 OTHER INFORMATION****SDS LEGEND DESCRIPTION**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists	<b>LC50</b>	A concentration that is lethal to 50% of a given species in a given time
<b>CAS</b>	Chemical Abstracts Service Registry	<b>LD50</b>	Dose that is lethal to 50% of a given species by a given route of exposure
<b>CEIL</b>	Ceiling Limit (15 minutes)	<b>LEL</b>	Lower Explosive Limit
<b>CERCL</b>	Comprehensive Environmental Response, Compensation, and Liability Act	<b>LD</b>	Liver Damage
<b>CI</b>	Cochlear Impairment	<b>NA</b>	Not Applicable
<b>CNS</b>	Central Nervous System	<b>ND</b>	Not Determined
<b>EC50</b>	Concentration of a chemical that gives half-maximal response	<b>NFPA</b>	National Fire Protection Association
<b>EPA</b>	Environmental Protection Agency	<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>Eye</b>	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	<b>NE</b>	Not Established
<b>FBG</b>	Full Bunker Gear	<b>NTP</b>	National Toxicology Program
<b>GHS</b>	Globally Harmonized System	<b>OSHA</b>	Occupational Safety and Health Administration
<b>HAP</b>	California Hazardous air pollutant Clean Air Act	<b>PEL</b>	Permissible Exposure Limit (OSHA)
<b>HMIS-A</b>	Safety Glasses	<b>PNS</b>	Peripheral Nervous System
<b>HMIS-B</b>	Safety glasses, gloves	<b>PP</b>	California Priority Pollutant under the Clean Water Act
<b>HMIS-C</b>	Safety glasses, gloves, chemical apron	<b>REL</b>	Recommended exposure limit (NIOSH)
<b>HMIS-D</b>	Face shield, gloves, chemical apron	<b>RT</b>	Upper Respiratory Tract
<b>HMIS-E</b>	Safety glasses, gloves, dust respirator	<b>Skin</b>	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
<b>HMIS-F</b>	Safety glasses, gloves, chemical apron, dust respirator	<b>SARA</b>	Superfund Amendments and Reauthorization Act
<b>HMIS-G</b>	Safety glasses, gloves, vapor respirator	<b>STEL</b>	Short Term Exposure Limit (15 minutes)
<b>HMIS-H</b>	Splash goggles, gloves, chemical apron, vapor respirator	<b>TC Lo</b>	Lowest concentration that is toxic to a given species in a given time
<b>HMIS-I</b>	Safety glasses, gloves, dust and vapor respirator	<b>TD Lo</b>	Lowest dose that is toxic to a given species
<b>HMIS-J</b>	Splash goggles, gloves, chemical apron, dust and vapor respirator	<b>TLV</b>	Threshold Limit Value (ACGIH)
<b>HMIS-K</b>	Air line hood or mask, gloves, full chemical suit, boots	<b>TP</b>	California Toxic Pollutant under the Clean Water Act
<b>HMIS-X</b>	Ask Supervisor	<b>TSCA</b>	Toxic Substances Control Act
<b>HS</b>	California Hazardous Substance under the Clean Water Act	<b>TWA</b>	Time Weighted Average (8 hours)
<b>KD</b>	Kidney Damage (nephropathy)	<b>UEL</b>	Upper Explosive Limit

**Magnus**

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

**Print Date** 1/7/2016

**Supersedes Safety Data Sheet Dated**