SAFETY DATA SHEET

Issue Date 02-Jan-2013 Revision Date 23-Nov-2016 Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Code 300004/300006

21195

Product Name Solid Clean Plus

Other means of identification

Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

Details of the supplier of the safety data sheet

Manufacturer / Manufactured For

Magnus 3680 West Royal Lane Suite #155A Irving, TX 75063 1-855-962-4687 www.magnusdist.com

Emergency telephone number

24 Hour Emergency Phone Number Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

| Acute toxicity - Oral | Category 5 |
|---|---------------------------|
| Acute toxicity - Dermal | Category 5 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Skin corrosion/irritation | Category 1 Sub-category A |
| Serious eye damage/eye irritation | Category 1 |
| Acute aquatic toxicity | Category 2 |
| Chronic aquatic toxicity | Category 2 |

Label elements

Emergency Overview

Danger

Hazard statements

May be harmful if swallowed May be harmful in contact with skin Harmful if inhaled Causes severe skin burns and eye damage Toxic to aquatic life with long lasting effects



Appearance White Physical state Solid Odor Odorless

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Precautionary Statements - Storage

Store locked up. Keep out of reach of children.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-----------------------------|-----------|----------|--------------|
| Sodium Hydroxide | 1310-73-2 | 15-40 | * |
| Sodium Carbonate | 497-19-8 | 10-30 | * |
| Tetrasodium EDTA | 64-02-8 | 7-13 | * |
| Trisodium nitrilotriacetate | 5064-31-3 | .1-1 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required. If irritation persists or burns occur, get medical attention. For minor skin contact, avoid spreading material on unaffected

skin. For severe burns, immediate medical attention is required.

Eye contact Immediate medical attention is required. Immediately flush with plenty of water. After initial

flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye

wide open while rinsing. Do not rub affected area.

Inhalation If dust is formed or irritation occurs, leave area and do not return until dust has settled. If

irritation persists, call a physician. If breathing is difficult, give oxygen. If breathing has

stopped, give artificial respiration. Get medical attention immediately.

Immediate medical attention is required. Rinse mouth. Do NOT induce vomiting. Drink

plenty of water. Never give anything by mouth to an unconscious person.

Self-protection of the first aiderUse personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Irritation or burning to mucous membranes. Causes severe skin burns and eye damage.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion productsContact with metals in presence of moisture will produce hydrogen gas, which can form explosive mixture in air.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Avoid creating dust. Sweep up and shovel

into suitable containers for disposal. Dilute residual material with dilute acetic acid (vinegar)

to pH of less than 10.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep container tightly closed in a dry and well-ventilated

place. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

Incompatible materials Strong acids. Metals such as aluminum, tin, lead and zinc especially in the presence of

moisture. Aluminum. Incompatible with strong acids and bases. Incompatible with oxidizing

agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThis product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------|------------------------------|--|------------------------------|
| Sodium Hydroxide | Ceiling: 2 mg/m ³ | TWA: 2 mg/m ³ | IDLH: 10 mg/m ³ |
| 1310-73-2 | | (vacated) Ceiling: 2 mg/m ³ | Ceiling: 2 mg/m ³ |
| Tetrasodium Pyrophosphate | - | (vacated) TWA: 5 mg/m ³ | TWA: 5 mg/m ³ |
| 7722-88-5 | | | _ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protectionWear chemical resistant gloves. Other protective equipment not required under normal use.

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid
Appearance White
Odor Odorless

Odor threshold No Information available

Property Values Remarks • Method

pH 12.0 - 14.0 1% solution

Specific Gravity N/A

Revision Date 23-Nov-2016

Solid Clean Plus

ViscosityNo Information availableMelting point/freezing pointNo Information available

Boiling point / boiling range N/A
Flash point N/A
Evaporation rate N/A

Flammability (solid, gas) No Information available

Upper flammability limit: N/A
Lower flammability limit: N/A
Vapor pressure N/A
Vapor density N/A
Water solubility N/A

Partition Coefficient No Information available

(n-octanol/water)

Autoignition temperature No Information available No Information available

Other Information

Density Lbs/Gal No Information available VOC Content (%) No Information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Contact with metals in presence of moisture will produce hydrogen gas, which can form explosive mixture in air.

Conditions to avoid

Avoid moisture. Elevated temperature. Exposure to air or moisture over prolonged periods.

Incompatible materials

Strong acids. Metals such as aluminum, tin, lead and zinc especially in the presence of moisture. Aluminum. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact May be harmful in contact with skin.

Ingestion Causes burns. May be harmful if swallowed.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--------------------|-------------------------|--------------------------|
| Sodium Hydroxide 1310-73-2 | - | = 1350 mg/kg (Rabbit) | - |
| Sodium Carbonate = 4090 mg/kg (Rat) 497-19-8 | | - | = 2300 mg/m³ (Rat) 2 h |
| Trisodium nitrilotriacetate | = 1100 mg/kg (Rat) | - | > 5 mg/L (Rat)4 h |

5064-31-3

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eves.

Sensitization No Information available. Germ cell mutagenicityNo Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-----------------------------|-------|----------|-----|------|
| Trisodium nitrilotriacetate | - | Group 2B | - | X |
| 5064-31-3 | | • | | |

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects. EYES, Respiratory system, Skin.

Target organ effects EYES, Respiratory system **Aspiration hazard** No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

6.884% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------------------------------|--|---|---|
| Sodium Hydroxide 1310-73-2 | - | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static | - |
| Sodium Carbonate 497-19-8 | 242: 120 h Nitzschia mg/L EC50 | 300: 96 h Lepomis macrochirus mg/L LC50 static 310 - 1220: 96 h Pimephales promelas mg/L LC50 static | 265: 48 h Daphnia magna mg/L EC50 |
| Tetrasodium EDTA 64-02-8 | 1.01: 72 h Desmodesmus subspicatus mg/L EC50 | 59.8: 96 h Pimephales promelas mg/L LC50 static 41: 96 h Lepomis macrochirus mg/L LC50 static | 610: 24 h Daphnia magna mg/L EC50 |
| Sodium Tripolyphosphate 7758-29-4 | - | 1650: 48 h Leuciscus idus mg/L LC50 | - |
| Trisodium nitrilotriacetate 5064-31-3 | 560 - 1000: 96 h Chlorella vulgaris mg/L EC50 | 72 - 133: 96 h Oncorhynchus mykiss mg/L LC50 static 175 - 225: 96 h Lepomis macrochirus mg/L LC50 static 252: 96 h Lepomis macrochirus mg/L LC50 470: 96 h Pimephales promelas mg/L LC50 static 93 - 170: 96 h Pimephales promelas mg/L LC50 flow-through 560 - 1000: 96 h Poecilia reticulata mg/L LC50 semi-static 560 - 1000: 96 h Poecilia reticulata mg/L LC50 semi-static 560 - 1000: 96 h Poecilia reticulata mg/L LC50 semi-static 560 - 1000: 96 h Poecilia reticulata mg/L LC50 semi-static 560 - 1000: 96 h Poecilia reticulata mg/L LC50 560 - 1000: 96 h Oryzias | 560 - 1000: 48 h Daphnia magna mg/L LC50 |

| | latipes mg/L LC50 560 - 1000: 96 h Oryzias latipes mg/L LC50 semi-static |
|------------------------------|---|
| Sodium Chloride 7647-14-5 | - 5560 - 6080: 96 h Lepomis macrochirus mg/L LC50 flow-through 6420 - 6700: 96 h Pimephales promelas mg/L LC50 static 4747 - 7824: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12946: 96 h Lepomis macrochirus mg/L LC50 static 6020 - 7070: 96 h Pimephales promelas mg/L LC50 static 7050: 96 h Pimephales promelas mg/L LC50 static 7050: 96 h Pimephales promelas mg/L LC50 semi-static |

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Other adverse effects No Information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|------------------------------|-----------------------------------|
| Sodium Hydroxide | Toxic |
| 1310-73-2 | Corrosive |
| Sodium Carbonate 497-19-8 | Corrosive |

14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT

DOT Proper Shipping name UN1759, Corrosive solid, n.o.s. (contains sodium hydroxide), 8, PG II

15. REGULATORY INFORMATION **International Inventories** Complies **TSCA DSL/NDSL** Complies Does not comply **EINECS/ELINCS** Does not comply **ENCS IECSC** Complies **KECL** Does not comply **PICCS** Does not comply **AICS** Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| Acute health hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | Yes |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium Hydroxide 1310-73-2 | 1000 lb | - | - | Х |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|------------------|--------------------------|----------------|--------------------------|
| Sodium Hydroxide | 1000 lb | = | RQ 1000 lb final RQ |
| 1310-73-2 | | | RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------------|------------|---------------|--------------|
| Sodium Hydroxide 1310-73-2 | X | X | X |
| Trisodium nitrilotriacetate 5064-31-3 | - | X | - |
| Tetrasodium Pyrophosphate 7722-88-5 | X | X | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

| 16. OTHER INFORMATION | | | | |
|-----------------------|------------------|----------------|--------------------|-----------------------|
| HMIS | Health hazards 3 | Flammability 0 | Physical hazards 0 | Personal protection X |

Legend

N/A - Not Applicable

Solid Clean Plus

N/E - Not Established N/D - Not Determined N/K - Not Known

Issue Date02-Jan-2013Revision Date23-Nov-2016Revision NoteNew format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet